

RELOOP RP1000 MK2



040657\_reloop\_rp1000m\_01\_opt.jpg





Reloop RP-1000 MK2 ????? ?? ????? ??? ?????????? ?? ?????? (belt drive). ??? ?????????? ?????????????? ?????? Reloop OM Black (Ortofon), ??????, slipmat, ????????, ??????? ?????????????

????????????: ??? ?????????????? ??????  
????? ????????  
?????? ????? ?? ?? 299,99 €

????? ??????? 275,00 €

????????? ?????? 53,23 €



[??????? ?? ? ?](#)

????????????[RELOOP](#)

?????????  
Reloop RP-1000 MK2 ????? ?? ????? ??? ?????????? ?? ?????? (belt drive). ??? ?????????? ?????????????? ?????? Reloop OM Black (??? Ortofon), ??????, slipmat, ????????, ??????? ?????????????

?? RP-1000 MK2 ?????????? ??? ??????? ?????????? ??? ?? ???? ??????????? DJ ??? ?? ???? ???? ???? HiFi. ? ??? ??? ?????????? ?????????????? ?????????????? ?????????? ?? ?? ?????????? ?????????? ?????????? ?? ?????????? ?????????.

?? ?????? ?????? ??????????, ?????????????????? ??? ?????? ??????? ?? ?????? ?????????? ??? ?????????? ?????? ?????? ?????????? ? ?????? ?????????? ??? ?????????? ?????? ?????????????????? ?????????????? ??? ?????????????? ?? ?????????? ??????????????????. ? ?????????? ??? RP-1000 MK2 ?????? ?????????? S ?? ?????????? ?????????? ??? ?????????? anti-skating, ?????????????? ?????????????? ?????????????? ?????? ??? ?????????????? ??????. ?????????? ?????????????? LED ?????????? ??? ??? ?????????????????? ??? ?????????? ??? ?????????????????? ?? ?? ?????? ?????? ??????????, ?????????? ?????????? ??? ?????????????????? ?????????? ??????????.

????????? ??????????????????

?????:

- ??????: belt drive turntable
- Drive: belt drive
- Motor: DC motor
- Turntable speeds: 2 speeds, manual (33 1/3, 45 RPM)
- Brake time: < 1 sec.
- Start-up / rpm change: < 1 sec.
- Wow and flutter: < 0.25% WRMS
- Signal-to-noise ratio: > 50 dB (DIN-B)
- Brake system: electronic brake
- Record weight: recommended 350g

?????:

- ??????: aluminium die-cast
- ??????????: 332 mm

?????????:

- ??????: universal, statically balanced, s-shaped
- Effective length: 230.5 mm
- Overhang: 16 mm
- Tracking angle error: < 3°
- Applicable pick-up weight: 3.5 – 8.5 g (incl. headshell 13 – 18 g)
- Anti-skating range: 0 - 7 g

?????????:

- 1x Phono out (gold-plated)

?????:

- ??????????: AC 115/230 V, 60/50 Hz (US/EU)
- ??????????: 10 W
- ??????????: 450 x 144 x 352 mm
- ??????: appr. 5.7 kg